

# DIN Spannangen

## SPRING COLLETS ER 32 - DIN 6499

ART. T119



Precision= 0,01

Item	d
T119.016.N	∅ 1,59 (1/16")
T119.020.N	∅ 2 - 1
T119.030.N	∅ 3 - 2
T119.032.N	∅ 3,2 (1/8")
T119.040.N	∅ 4 - 3
T119.048.N	∅ 4,8 (3/16")
T119.050.N	∅ 5 - 4
T119.060.N	∅ 6 - 5
T119.064.N	∅ 6,4 (1/4")
T119.070.N	∅ 7 - 6
T119.079.N	∅ 7,9 (5/16")
T119.080.N	∅ 8 - 7
T119.090.N	∅ 9 - 8
T119.095.N	∅ 9,5 (3/8")
T119.100.N	∅ 10 - 9
T119.110.N	∅ 11 - 10
T119.120.N	∅ 12 - 11
T119.127.N	∅ 12,7 (1/2")
T119.130.N	∅ 13 - 12
T119.140.N	∅ 14 - 13
T119.150.N	∅ 15 - 14
T119.159.N	∅ 15,9 (5/8")
T119.160.N	∅ 16 - 15
T119.170.N	∅ 17 - 16
T119.180.N	∅ 18 - 17
T119.190.N	∅ 19 - 18
T119.191.N	∅ 19,1 (3/4")
T119.200.N	∅ 20 - 19

## SPRING COLLET SET ER 32 - DIN 6499

ART. X119



- Complete with 18 pcs
- In carton Box

Item	Diameters:
X119.118.N	∅3 - ∅4 - ∅5 - ∅6 - ∅7 - ∅8 ∅9 - ∅10 - ∅11 - ∅12 - ∅13 - ∅14 ∅15 - ∅16 - ∅17 - ∅18 - ∅19 - ∅20

## SPRING COLLETS ER 40 - DIN 6499

ART. T123



Precision= 0,01

Item	d
T123.030.N	∅ 3 - 2
T123.032.N	∅ 3,2 (1/8")
T123.040.N	∅ 4 - 3
T123.048.N	∅ 4,8 (3/16")
T123.050.N	∅ 5 - 4
T123.060.N	∅ 6 - 5
T123.064.N	∅ 6,4 (1/4")
T123.070.N	∅ 7 - 6
T123.079.N	∅ 7,9 (5/16")
T123.080.N	∅ 8 - 7
T123.090.N	∅ 9 - 8
T123.095.N	∅ 9,5 (3/8")
T123.100.N	∅ 10 - 9
T123.110.N	∅ 11 - 10
T123.120.N	∅ 12 - 11
T123.127.N	∅ 12,7 (1/2")
T123.130.N	∅ 13 - 12
T123.140.N	∅ 14 - 13
T123.150.N	∅ 15 - 14
T123.159.N	∅ 15,9 (5/8")
T123.160.N	∅ 16 - 15
T123.170.N	∅ 17 - 16
T123.180.N	∅ 18 - 17
T123.190.N	∅ 19 - 18
T123.191.N	∅ 19,1 (3/4")
T123.200.N	∅ 20 - 19
T123.210.N	∅ 21 - 20
T123.220.N	∅ 22 - 21
T123.230.N	∅ 23 - 22
T123.240.N	∅ 24 - 23
T123.250.N	∅ 25 - 24
T123.254.N	∅ 25,4 (1")
T123.260.N	∅ 26 - 25
T123.300.N NEW	∅ 30 - 29

## SPRING COLLET SET ER 40 - DIN 6499

ART. X123




- Complete with 23 pcs
- In carton Box

Item	Diameters:
X123.023.N	∅3 - ∅4 - ∅5 - ∅6 - ∅7 - ∅8 ∅9 - ∅10 - ∅11 - ∅12 - ∅13 - ∅14 ∅15 - ∅16 - ∅17 - ∅18 - ∅19 - ∅20 ∅21 - ∅22 - ∅23 - ∅24 - ∅25

# DIN Spannangen

## WATER-TIGHT SPRING COLLETS ER 32 - DIN 6499

ART. T119



- Precision= 0,01
- Highly recommended when working with lubricant
- Indicated for working aluminium, marble, glass and others
- Do not use with our collet nuts Art. Z091

Item	d
T119.020.NTS	Ø 2 - 1
T119.030.NTS	Ø 3 - 2
T119.040.NTS	Ø 4 - 3
T119.050.NTS	Ø 5 - 4
T119.060.NTS	Ø 6 - 5
T119.070.NTS	Ø 7 - 6
T119.080.NTS	Ø 8 - 7
T119.090.NTS	Ø 9 - 8
T119.100.NTS	Ø 10 - 9
T119.110.NTS	Ø 11 - 10
T119.120.NTS	Ø 12 - 11
T119.130.NTS	Ø 13 - 12
T119.140.NTS	Ø 14 - 13
T119.150.NTS	Ø 15 - 14
T119.160.NTS	Ø 16 - 15
T119.170.NTS	Ø 17 - 16
T119.180.NTS	Ø 18 - 17
T119.190.NTS	Ø 19 - 18
T119.200.NTS	Ø 20 - 19

## WATER-TIGHT SPRING COLLET SET ER 32 - DIN 6499

ART. X119




- Complete with 18 pcs
- In carton Box

Item	Diameters:
X119.118.NTS	Ø3 - Ø4 - Ø5 - Ø6 - Ø7 - Ø8 Ø9 - Ø10 - Ø11 - Ø12 - Ø13 - Ø14 Ø15 - Ø16 - Ø17 - Ø18 - Ø19 - Ø20

## WATER-TIGHT SPRING COLLETS ER 40 - DIN 6499

ART. T123



- Precision= 0,01
- Highly recommended when working with lubricant
- Indicated for working aluminium, marble, glass and others
- Do not use with our collet nuts Art. Z091

Item	d
T123.030.NTS	Ø 3 - 2
T123.040.NTS	Ø 4 - 3
T123.050.NTS	Ø 5 - 4
T123.060.NTS	Ø 6 - 5
T123.070.NTS	Ø 7 - 6
T123.080.NTS	Ø 8 - 7
T123.090.NTS	Ø 9 - 8
T123.100.NTS	Ø 10 - 9
T123.110.NTS	Ø 11 - 10
T123.120.NTS	Ø 12 - 11
T123.130.NTS	Ø 13 - 12
T123.140.NTS	Ø 14 - 13
T123.150.NTS	Ø 15 - 14
T123.160.NTS	Ø 16 - 15
T123.170.NTS	Ø 17 - 16
T123.180.NTS	Ø 18 - 17
T123.190.NTS	Ø 19 - 18
T123.200.NTS	Ø 20 - 19
T123.210.NTS	Ø 21 - 20
T123.220.NTS	Ø 22 - 21
T123.230.NTS	Ø 23 - 22
T123.240.NTS	Ø 24 - 23
T123.250.NTS	Ø 25 - 24
T123.260.NTS	Ø 26 - 25

## WATER-TIGHT SPRING COLLET SET ER 40 - DIN 6499

ART. X123




- Complete with 23 pcs
- In carton Box

Item	Diameters:
X123.023.NTS	Ø3 - Ø4 - Ø5 - Ø6 - Ø7 - Ø8 Ø9 - Ø10 - Ø11 - Ø12 - Ø13 - Ø14 Ø15 - Ø16 - Ø17 - Ø18 - Ø19 - Ø20 Ø21 - Ø22 - Ø23 - Ø24 - Ø25

# DIN Spannzangen

## SPRING COLLETS EOC25 - DIN 6388 (462 E)

ART. T124



Precision= 0,01

Item	d
T124.020.N	Ø 2 - 1,5
T124.030.N	Ø 3 - 2,5
T124.040.N	Ø 4 - 3,5
T124.050.N	Ø 5 - 4,5
T124.060.N	Ø 6 - 5,5
T124.064.N	Ø 6,4 (1/4")
T124.070.N	Ø 7 - 6,5
T124.080.N	Ø 8 - 7,5
T124.095.N	Ø 9,5 (3/8")
T124.100.N	Ø 10 - 9,5
T124.110.N	Ø 11 - 10,5
T124.120.N	Ø 12 - 11,5
T124.127.N	Ø 12,7 (1/2")
T124.130.N	Ø 13 - 12,5
T124.140.N	Ø 14 - 13,5
T124.159.N	Ø 15,9 (5/8")
T124.160.N	Ø 16 - 15,5
T124.180.N	Ø 18 - 17,5
T124.191.N	Ø 19,1 (3/4")
T124.200.N	Ø 20 - 19,5
T124.220.N	Ø 22 - 21,5
T124.250.N	Ø 25 - 24,5
T124.254.N	Ø 25,4 (1")

## SPRING COLLETS ER 25 - DIN 6499

ART. T125



Precision= 0,01

Item	d
T125.016.N	Ø 1,59 (1/16")
T125.020.N	Ø 2 - 1
T125.030.N	Ø 3 - 2
T125.032.N	Ø 3,2 (1/8")
T125.040.N	Ø 4 - 3
T125.048.N	Ø 4,8 (3/16")
T125.050.N	Ø 5 - 4
T125.060.N	Ø 6 - 5
T125.064.N	Ø 6,4 (1/4")
T125.070.N	Ø 7 - 6
T125.079.N	Ø 7,9 (5/16")
T125.080.N	Ø 8 - 7
T125.090.N	Ø 9 - 8
T125.095.N	Ø 9,5 (3/8")
T125.100.N	Ø 10 - 9
T125.110.N	Ø 11 - 10
T125.120.N	Ø 12 - 11
T125.127.N	Ø 12,7 (1/2")
T125.130.N	Ø 13 - 12
T125.140.N	Ø 14 - 13
T125.150.N	Ø 15 - 14
T125.159.N	Ø 15,9 (5/8")
T125.160.N	Ø 16 - 15

## SPRING COLLETS ER 20 - DIN 6499

ART. T126



Precision= 0,01

Item	d
T126.016.N	Ø 1,59 (1/16")
T126.030.N	Ø 3 - 2
T126.032.N	Ø 3,2 (1/8")
T126.040.N	Ø 4 - 3
T126.050.N	Ø 5 - 4
T126.060.N	Ø 6 - 5
T126.064.N	Ø 6,4 (1/4")
T126.080.N	Ø 8 - 7
T126.090.N	Ø 9 - 8
T126.095.N	Ø 9,5 (3/8")
T126.100.N	Ø 10 - 9
T126.110.N	Ø 11 - 10
T126.120.N	Ø 12 - 11
T126.127.N	Ø 12,7 (1/2")
T126.130.N	Ø 13 - 12

## SPRING COLLET SET ER25 - DIN 6499

ART. X125



- Complete with 14 pcs
- In wooden Box

Item

X125.014.N


Diameters:

Ø3 - Ø4 - Ø5 - Ø6 - Ø7 - Ø8 - Ø9  
Ø10 - Ø11 - Ø12 - Ø13 - Ø14 - Ø15 - Ø16

# DIN Spannzangen

## SPRING COLLETS ER 16 - DIN 6499

ART. T127




Precision= 0,01

Item	d
T127.016.N	Ø 1,59 (1/16")
T127.020.N	Ø 2 - 1
T127.030.N	Ø 3 - 2
T127.032.N	Ø 3,2 (1/8")
T127.040.N	Ø 4 - 3
T127.050.N	Ø 5 - 4
T127.060.N	Ø 6 - 5
T127.064.N	Ø 6,4 (1/4")
T127.070.N	Ø 7 - 6
T127.080.N	Ø 8 - 7
T127.090.N	Ø 9 - 8
T127.095.N	Ø 9,5 (3/8")
T127.100.N	Ø 10 - 9

## SPRING COLLETS ETS 32 - DIN 6499

ART. T134



Precision= 0,01

Item	d
T134.030.N	Ø 3 - 2
T134.040.N	Ø 4 - 3
T134.050.N	Ø 5 - 4
T134.060.N	Ø 6 - 5
T134.070.N	Ø 7 - 6
T134.080.N	Ø 8 - 7
T134.100.N	Ø 10 - 9
T134.120.N	Ø 12 - 11
T134.130.N	Ø 13 - 12
T134.140.N	Ø 14 - 13
T134.160.N	Ø 16 - 15
T134.180.N	Ø 18 - 17
T134.200.N	Ø 20 - 19

## SPRING COLLETS ER 11 - DIN 6499

ART. T129




Precision= 0,01

Item	d
T129.010.N	Ø 1-0,5
T129.015.N	Ø 1,5-1
T129.020.N	Ø 2-1,5
T129.025.N	Ø 2,5-2
T129.030.N	Ø 3-2,5
T129.035.N	Ø 3,5-3
T129.040.N	Ø 4-3,5
T129.045.N	Ø 4,5-4
T129.050.N	Ø 5-4,5
T129.055.N	Ø 5,5-5
T129.060.N	Ø 6-5,5
T129.065.N	Ø 6,5-6
T129.070.N	Ø 7-6,5

## SPRING COLLETS ETS 40 - DIN 6499

ART. T135




Precision= 0,01

Item	d
T135.040.N	Ø 4 - 3
T135.050.N	Ø 5 - 4
T135.060.N	Ø 6 - 5
T135.070.N	Ø 7 - 6
T135.080.N	Ø 8 - 7
T135.100.N	Ø 10 - 9
T135.120.N	Ø 12 - 11
T135.130.N	Ø 13 - 12
T135.140.N	Ø 14 - 13
T135.160.N	Ø 16 - 15
T135.180.N	Ø 18 - 17
T135.200.N	Ø 20 - 19
T135.250.N	Ø 25 - 24

# DIN Spannangen

## SPRING COLLETS EOC12 - DIN 6388 (407E)

ART. T136




- To be used with Art. T118.580.R  
- Precision= 0,01

Item	d
T136.040.N <b>NEW</b>	Ø 4 - 3
T136.060.N <b>NEW</b>	Ø 6 - 5
T136.064.N <b>NEW</b>	Ø 6,4 (1/4")
T136.080.N <b>NEW</b>	Ø 8 - 7
T136.095.N <b>NEW</b>	Ø 9,5 (3/8")
T136.100.N <b>NEW</b>	Ø 10 - 9
T136.120.N <b>NEW</b>	Ø 12 - 11
T136.127.N <b>NEW</b>	Ø 12,7 (1/2")

## SPRING COLLETS EOC16 - DIN 6388 (415E)

ART. T138



- Precision= 0,01

Item	d
T138.040.N <b>NEW</b>	Ø 4 - 3
T138.060.N <b>NEW</b>	Ø 6 - 5
T138.064.N <b>NEW</b>	Ø 6,4 (1/4")
T138.080.N <b>NEW</b>	Ø 8 - 7
T138.095.N <b>NEW</b>	Ø 9,5 (3/8")
T138.100.N <b>NEW</b>	Ø 10 - 9
T138.120.N <b>NEW</b>	Ø 12 - 11
T138.127.N <b>NEW</b>	Ø 12,7 (1/2")

## SPRING COLLET SET + WIPE OFF KIT



The **wipe off set** allows maintaining the inside as well as the seat of the spring collet on the chuck clean, helps increasing cutting efficiency and reduce vibrations for a longer tool life. No more risk of wrong positioning of both the collet and the tool due to chips and resin.

- In plastic box

**Set complete with:**  
- nr. 10 spring collets  
- Collet wipers  
- Brushes for collet bore



**Item**  
X125.515.N

Set complete with **10 spring collets ER25:**  
Ø3 - Ø4 - Ø5 - Ø6 - Ø7 Ø8 - Ø10 - Ø12 - Ø14 - Ø16



T137.525.N - Collet wiper ER25



X137.004.N - nr. 4 brushes for collet bore ER25



**Item**  
X119.515.N

Set complete with **10 spring collets ER32:**  
Ø4 - Ø5 - Ø6 - Ø8 - Ø10 - Ø12 - Ø14 - Ø16 - Ø18 - Ø20



T137.532N - Collet wiper ER32



X137.004.N - nr. 4 brushes for collet bore ER32



**Item**  
X123.515.N

Set complete with **10 spring collets ER40:**  
Ø4 - Ø6 - Ø8 - Ø10 - Ø12 - Ø14 - Ø16 - Ø18 - Ø20 - Ø25



T137.540N - Collet wiper ER40



X137.004.N - nr. 4 brushes for collet bore ER40



**Item**  
X124.515.N

Set complete with **10 spring collets DIN6388:**  
Ø4 - Ø6 - Ø8 - Ø10 - Ø12 - Ø14 - Ø16 - Ø18 - Ø20 - Ø25



T137.662N - Collet wiper DIN6388-EOC25



X137.004.N - nr. 4 brushes for collet bore DIN6388-EOC25